




S4650

AUTOMATIC BELT LOOP SETTER



[view more](#)





S4650

AUTOMATIC BELT LOOP SETTER

Thanks to unique Vi.Be.Mac. technology this unit can grant an always perfect loop allignment, perfect and silent cut, V shape cut of the loop and an easy adjustment both electronical and mechanical. This model is the solution for all the fashion requests of the market, being able to work on classic, semi-classic, inserted, double loop and a fully customizable bartack.



QUALITY



FASHION
STYLES



FAST

FEATURES


- **Touch screen panel:** 7" wide, colored, super fast
- CPU assures a much better software management, a better seam quality, easier adjustments and patterns, more precision, more customizable and more fashion options
- Updates through USB or internet (remote control)
- **Offline mode:** possibility to work without the touch screen panel in case of breakdown
- **Auto-diagnostic system:** it helps to avoid errors
- Software available in multiple languages
- **New design of the stand:** easy adjustment in height
- Scraps and dust cleaning system
- **Double compensatory presser foot:** extra pressure and less flexure, besides lower barycenter
- **Counter-weight device:** allows to counterbalance the presser foot thrust and keep it always the right position, granting a less X&Y carriage wear
- **Loop aligner system:** to avoid the loop mispositioning on the fabric, especially for the folded tails (Q loop / 3D loop)
- **Revolving system for devices position:** devices can be set in 4 preset positions with a quick revolving system; downtime greatly reduced

Sewing Head	Unit Speed	No. of Stitches	Needle Distance	Loop Width	Finished Loop
Vi.Be.Mac.	2600 rpm	1 to 999	25 to 80 mm	8 to 30 mm	32 to 85 mm
Sewing Area	Machine Motor	Power requirement	Control Box	Operating Air Pressure	Air Consumption
15 x 28 mm	XCG 554 20Y - 550W	220 V 50/60 Hz	XCG MFY 2005	4.5 bar	6 L/min



The accessories described here may not be included in the price of the machine. Please refer to the commercial documents for information on prices and conditions.

Double compensatory presser foot

Loop alignment system



Revolving system for devices position



Double compensatory presser foot

Extra pressure also on multiple layers of fabric, less flexure, besides a lower barycenter



Loop alignment system

To avoid the loop mispositioning on the fabric, especially for the folded tails (Q loop / 3D loop)



Revolving system for devices position

Devices can be set in 4 preset positions with a quick revolving system

FOLLOW US



CONTACT US



VI.BE.MAC. S.p.A.

Società soggetta a direzione e coordinamento di Jack Europe S.à.r.l.

Via Monte Pastello, 7/i - 37057 San Giovanni Lupatoto (VR), Italy

vibemac@vbm-grp.com - sales@vbm-grp.com - customer-care@vbm-grp.com

Tel. [+39 045 8778151](tel:+390458778151) / [8778152](tel:+390458778152)



www.vibemac.com

