



V700

AUTOMATIC BACK POCKET HEMMING UNITS



AUTOMATIC BACK POCKET HEMMING UNITS

V700.1 / V701 / V702



EFFICIENCY



QUALITY



EASY HANDLING

The automatic pocket hemming series, made by the three models V700.1, V701 and V702, is a line of flexible units with a high level of efficiency and quality output. One unit can supply more sewing lines, following the concept of modular production and space maximization. The units can perform an average production of 1500 up to 2000 pockets per hour, according to the model. The innovative transport system allows the units to perform on many kind of fabric thickness from workwear to denim and stretch materials.



INNOVATIVE PNEUMATIC SYSTEM (PATENTED)

High productivity with no more wave effect or hem arching problems on denim fabric



ADJUSTABLE FOLDER

Quickly adjust your pocket hem anytime to easily set up different styles according to your needs



PROGRAMMABLE CUT

The automatic cut at beginning and at the end is programmable with a specific control panel



LOADER LDR-01

When paired with the loader LDR-01, the units become fully automatic, eliminating the need for manual pocket loading

TECHNICAL SPECIFICATIONS

Standard Needle Gauge: 1/4" (6.4 mm)

Sewing Machine Motor:

Mitsubishi Juki XCG 554 20Y - 550 W

Control Box: XCG MFY 2005

Power Supply Voltage: 220 V 50/60 Hz

Air Consumption: 3 L/min



FEATURES


- ✓ Air Compressed Economizer working ONLY when chain cutter is activated
- ✓ Pneumatic traction control on the feeding belt - PATENTED
- ✓ Stacker
- ✓ Thread breakage sensor
- ✓ Automatic thread trimmer
- ✓ One leg adjustable stand
- ✓ Innovative pneumatic transport system patented
- ✓ Control panel to adjust chains at beginning and end of the pocket
- ✓ Easy maintenance and setup of the unit

OPTIONALS

- > Manual label insertion device
- > Conversion kit for 1 needle (available for V700/V701)
- > Second storage disk

	V700	V701	V702
 speed	3600 rpm	2400 rpm	3600 rpm
 sewing head	Vibemac 2 CS	Vibemac 2LS	Yamato 3CS
 pocket per day	1800/2000	1500/1800	1800/2000
 stitch length	0.9 - 5 mm	2 - 4.5 mm	0.9 - 4.5 mm
 optional needle gauge	3/16" 9/32" 3/8" 1/2" (3 needle)	1/8" 5/32" 3/16" 7/32" 9/32" 5/16" 3/8" 1/2"	/


V700



2 needle chainstich




1 needle chainstich / 1 needle lockstich




coin pocket


V701



2 needle lockstich



1 needle lockstich




coin pocket

V702



3 needle chainstich



coin pocket

The accessories described here may not be included in the price of the machine. Please refer to the commercial documents for information on prices and conditions.